

# Setting Screw



## Dimensions

(mm)

Model	<b>TN-PA-30-M6</b>	Weight	8.6g
-------	--------------------	--------	------

Applicable cup model	PAG-30B-□
----------------------	-----------

Model	<b>TN-PC-10-M5</b>	Weight	3.9g
-------	--------------------	--------	------

Applicable cup model	PCG-10-□ PCG-15-□ PCG-18-□ PCG-20-□
----------------------	--

※□ in the table indicates the cup material.

※□ in the table indicates the cup material.

Model	<b>TN-PC-30-M6</b>	Weight	8.7g
-------	--------------------	--------	------

Applicable cup model	PCG-30-□ PCG-40-□ PCG-60-□
----------------------	----------------------------------

Model	<b>TN-PC-30-M8</b>	Weight	12.3g
-------	--------------------	--------	-------

Applicable cup model	PCG-30-□ PCG-40-□ PCG-60-□
----------------------	----------------------------------

※□ in the table indicates the cup material.

※□ in the table indicates the cup material.

Model	<b>TN-PC-90-M12</b>	Weight	47.4g
-------	---------------------	--------	-------

Applicable cup model	PCG-90-□
----------------------	----------

Model	<b>TN-PF-10-M5</b>	Weight	1.0g
-------	--------------------	--------	------

Applicable cup model	PFG-10-□ PK2-10-T
----------------------	----------------------

※□ in the table indicates the cup material.

※□ in the table indicates the cup material.

Dimensions

(mm)

Model	<b>TN-PF-15-M5</b>	Weight	1.4g
-------	--------------------	--------	------

Applicable cup model	PFG-15- □
	PJG-10/15- □
	PK2-15/20-T
	PRG-12.5X23- □

※□ in the table indicates the cup material.

Model	<b>TN-PF-20-M5</b>	Weight	2.3g
-------	--------------------	--------	------

Applicable cup model	PBG-20- □
	PDG-20- □
	PFG-20- □
	PJG-20/25- □
	PNG-121- □
	PRG-32X32 □

※□ in the table indicates the cup material.

Model	<b>TN-PF-25-M6</b>	Weight	3.3g
-------	--------------------	--------	------

Applicable cup model	PBG-30/40- □
	PDG-20/30/40- □
	PFG-20B/25/30/35/40- □
	PFOG-/25/30/35/40- □
	PHG-30/45- □
	PJG-30/35/40- □
	PK2-25-T

※□ in the table indicates the cup material.

Model	<b>TN-PF-50-M6</b>	Weight	7.8g
-------	--------------------	--------	------

Applicable cup model	PBG-50- □
	PDG-50- □
	PFG-50- □
	PJG-50- □

※□ in the table indicates the cup material.

Model	<b>TN-PF-50-M8</b>	Weight	8.9g
-------	--------------------	--------	------

Applicable cup model	PBG-50- □
	PDG-50- □
	PFG-50- □
	PJG-50- □

※□ in the table indicates the cup material.

Model	<b>TN-PH-65-M10</b>	Weight	30.3g
-------	---------------------	--------	-------

Applicable cup model	PHG-65- □
	PHG-90- □

※□ in the table indicates the cup material.

Model	<b>TN-PK-100-M10</b>	Weight	34.7g
-------	----------------------	--------	-------

Applicable cup model	PK2-60-T
	PK2-80-T
	PK2-100-T
	PK2-120-T
	PK2-150-T

Model	<b>TN-PK2-30-M6</b>	Weight	13.1g
-------	---------------------	--------	-------

Applicable cup model	PK2-30-T
	PK2-50-T

02  
Suction Cup

- PA
- PB
- PC
- PCD
- PD
- PF
- PFO
- PH
- PJ
- CORE
- PK2
- PK2B
- PK2L
- PL
- PN
- PN-B
- PP
- PQ
- PR
- PU
- PW
- RA
- SM
- TN

# TN Setting Screw

## Dimensions

(mm)

Model	TN-PK-100-M10F	Weight	45.9g
<b>Applicable cup model</b>			
PK2-60-T			
PK2-80-T			
PK2-100-T			
PK2-120-T			
PK2-150-T			

Model	TN-PK-100-M12	Weight	55.9g
<b>Applicable cup model</b>			
PK2-60-T			
PK2-80-T			
PK2-100-T			
PK2-120-T			
PK2-150-T			

Model	TN-PK-6710	Weight	50.6g
<b>Applicable cup model</b>			
PK2-60-T			
PK2-80-T			
PK2-100-T			
PK2-120-T			
PK2-150-T			

Model	TN-PK2-30-M10	Weight	14.4 g
<b>Applicable cup model</b>			
PK2-30-T			
PK2-50-T			

Model	TN-PK2-40-M6	Weight	14.2 g
<b>Applicable cup model</b>			
PK2-40-T			

Model	TN-PK2-40-M10	Weight	15.3 g
<b>Applicable cup model</b>			
PK2-40-T			

Model	TN-PK2L-M6	Weight	4.5g
<b>Applicable cup model</b>			
PK2L-60X20-T			
PK2L-80X30-T			

Model	TN-PK2L-M8	Weight	5.7g
<b>Applicable cup model</b>			
TN-PK2L-100x40-T			

Dimensions

(mm)

Model	<b>TN-PN-101-M6</b>	Weight	26.0g
Applicable cup model		PNG-101-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-102-M6</b>	Weight	25.8g
Applicable cup model		PNG-102-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-103-M6</b>	Weight	7.8g
Applicable cup model		PNG-103-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-104-M6</b>	Weight	5.6g
Applicable cup model		PNG-104-□ PNG-106-□ PNG-110-□ PNG-111-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-107-M10</b>	Weight	43.9g
Applicable cup model		PNG-107-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-108-M10</b>	Weight	45.5g
Applicable cup model		PNG-108-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-109-M5</b>	Weight	3.2g
Applicable cup model		PNG-109-□	

※□ in the table indicates the cup material.

Model	<b>TN-PN-112-M6</b>	Weight	6.6g
Applicable cup model		PNG-112-□	

※□ in the table indicates the cup material.

# TN Setting Screw

## Dimensions

(mm)

Model	TN-PN-114-M5	Weight	3.0g
<b>Applicable cup model</b> PNG-114- □			

※□ in the table indicates the cup material.

Model	TN-PN-116-M5	Weight	3.7g
<b>Applicable cup model</b> PNG-116- □ PNG-117- □ PNG-125- □			

※□ in the table indicates the cup material.

Model	TN-PN-122-M6	Weight	25.0g
<b>Applicable cup model</b> PNG-122- □			

※□ in the table indicates the cup material.

Model	TN-PN-123-M5	Weight	7.1g
<b>Applicable cup model</b> PNG-123- □			

※□ in the table indicates the cup material.

Model	TN-PN-130-M5	Weight	6.7g
<b>Applicable cup model</b> PNG-130A- □ PNG-130B- □ PNG-131- □ PNG-133- □ PNG-134- □			

※□ in the table indicates the cup material.

Model	TN-PR-15-M5	Weight	5.7g
<b>Applicable cup model</b> PRG-9.5X25- □ PRG-15X30- □			

※□ in the table indicates the cup material.

Model	TN-PS-10-M5	Weight	0.8g
<b>Applicable cup model</b> PAG-10A/15A/20A- □ PAG-10B/15B/20B- □ PBG-10A/15A- □ PCG-5/7- □ PFG-5A/6A/8A/10A/15A- □ PJG-6/8- □ PNG-132- □			

※□ in the table indicates the cup material.

Model	TN-PS-10-M5F	Weight	1.1g
<b>Applicable cup model</b> PAG-10A/15A/20A- □ PAG-10B/15B/20B- □ PBG-10A/15A- □ PCG-5/7- □ PFG-5A/6A/8A/10A/15A- □ PJG-6/8- □ PNG-132- □			

※□ in the table indicates the cup material.

Dimensions

(mm)

Model	<b>TN-PS-2A-M3</b>	Weight	1.2g
-------	--------------------	--------	------

Applicable cup model
PAG-5B- <input type="checkbox"/>
PCG-3- <input type="checkbox"/>
PFG-1.5A- <input type="checkbox"/>
PFG-2A- <input type="checkbox"/>
PFG-3.5A- <input type="checkbox"/>
PJG-2/4- <input type="checkbox"/>

※ in the table indicates the cup material.

Model	<b>TN-PS-2A-M3F</b>	Weight	0.8g
-------	---------------------	--------	------

Applicable cup model
PAG-5B- <input type="checkbox"/>
PCG-3- <input type="checkbox"/>
PFG-1.5A- <input type="checkbox"/>
PFG-2A- <input type="checkbox"/>
PFG-3.5A- <input type="checkbox"/>
PJG-2/4- <input type="checkbox"/>

※ in the table indicates the cup material.

Model	<b>TN-PS-2A-M5</b>	Weight	0.5g
-------	--------------------	--------	------

Applicable cup model
PAG-5B- <input type="checkbox"/>
PCG-3- <input type="checkbox"/>
PFG-1.5A- <input type="checkbox"/>
PFG-2A- <input type="checkbox"/>
PFG-3.5A- <input type="checkbox"/>
PJG-2/4- <input type="checkbox"/>

※ in the table indicates the cup material.

Model	<b>TN-PS-2X4A-M3</b>	Weight	0.9g
-------	----------------------	--------	------

Applicable cup model
PFG-2X4A- <input type="checkbox"/>
PFG-3.5X7A- <input type="checkbox"/>

※ in the table indicates the cup material.

Model	<b>TN-PS-2X4A-M3F</b>	Weight	1.3g
-------	-----------------------	--------	------

Applicable cup model
PFG-2X4A- <input type="checkbox"/>
PFG-3.5X7A- <input type="checkbox"/>

※ in the table indicates the cup material.

02  
Suction Cup

- PA
- PB
- PC
- PCD
- PD
- PF
- PFO
- PH
- PJ
- CORE
- PK2
- PK2B
- PK2L
- PL
- PN
- PN-B
- PP
- PQ
- PR
- PU
- PW
- RA
- SM

TN